

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method of automatically providing traffic information to a user, comprising:

tracking and storing travel pattern data of the user, the travel pattern data including a time at which a travel occurs,

analyzing the travel pattern data to predict a particular travel path traveled by the user at a particular time when the travel occurs, wherein the travel pattern data is analyzed to determine whether the travel path is traveled at a frequency greater than a threshold value; and

automatically determining traffic information along the particular travel path at or before the particular time at which travel is predicted.

2. (Original) The method according to claim 1, wherein the tracking and storing step comprises tracking and storing a start time, a day of the week, a start location, and an end location for each travel of the user.

3. (Original) The method according to claim 1, wherein the travel pattern data relates to travel by the user using a vehicle.

4. (Original) The method according to claim 1, wherein the tracking and storing step comprises receiving data from a position determining system.

5. (Original) The method according to claim 4, wherein the position determining system is a satellite based GPS system.

6. (Currently Amended) The method according to claim 2, wherein the start time is determined at a time of switching on ~~[[the]]~~ an ignition, and an end time is determined at a time of switching off the ignition.

7. (Original) The method according to claim 6, wherein the switching on the ignition and the switching off the ignition is determined based on a key-on or key-off position of an ignition key.
8. (Original) The method according to claim 2, wherein the analyzing step comprises correlating pairs of start locations and end locations with a range of start times and/or a day of the week.
9. (Original) The method according to claim 8, wherein the analyzing step further comprises calculating a frequency of the correlated pairs of start locations and end locations with a range of start times and/or a day of the week.
10. (Currently Amended) The method according to claim 1, wherein the step of determining traffic information comprises communicating with a ~~second~~ vehicle along the particular travel path to receive traffic incident information from the ~~second~~ vehicle.
11. (Currently Amended) The method according to claim 1, wherein the step of determining traffic information comprises communicating with a ~~second~~ vehicle along the travel path to receive travel speed information from the ~~second~~ vehicle.
12. (Currently Amended) The method according to claim 10, wherein the ~~second~~ vehicle communicates with a ~~third~~ another vehicle along the travel path to receive traffic incident information from the ~~third~~ another vehicle.
13. (Currently Amended) The method according to claim 12, wherein the ~~second~~ vehicle and the ~~third~~ another vehicle transmit crash information only if the traffic incident information is determined to be recent.
14. (Original) The method according to claim 13, wherein the traffic incident information is determined to be recent based in part on the type of road on which the traffic incident is detected or on the number of vehicles involved in the traffic incident.
15. (Currently Amended) The method according to claim 11, wherein communicating with the ~~second~~ vehicle is accomplished using short range communication.

16. (Original) The method according to claim 15, wherein the short range communication is Dedicated Shortwave Radio Communications (DSRC).

17. (Currently Amended) The method according to claim 1, wherein the automatically determined traffic information is displayed to the user on a display within ~~[[the]]~~ a vehicle at or before the particular time or whenever ~~[[the]]~~ an ignition switch is switched on.

18. (Original) The method according to claim 1, wherein the automatically determined traffic information is displayed to a user at a user accessible display at or before the particular time.

19. (Original) The method according to claim 18, wherein the user accessible display comprises one or more of a home computer, a mobile phone, a PDA, or a handheld device.

20. (Currently Amended) A system for automatically providing traffic information to a user, comprising:

a position determining system for tracking travel pattern data of the user, the travel pattern data including a time at which a travel occurs;

a storage unit for storing the tracked travel pattern data;

a processing unit that analyzes the travel pattern data to predict a particular travel path traveled by the user at a particular time when the travel occurs, wherein the processing unit is configured to analyze the travel pattern data to determine whether the travel path is traveled at a frequency greater than a threshold value; and

a short range communication unit that automatically determines traffic information along the particular travel path at or before the particular time at which the travel is predicted.

21. (Original) The system according to claim 20, wherein the tracked travel pattern data comprises a start time, a day of the week, a start location, and an end location for travel of the user.

22. (Original) The system according to claim 21, wherein the tracked travel pattern data relates to travel by the user using a vehicle.

23. (Original) The system according to claim 20, wherein the position determining system comprises a GPS receiver that communicates with a satellite based GPS system.
24. (Currently Amended) The system according to claim 21, wherein the start time is determined at a time of switching on ~~[[the]]~~ an ignition, and an end time is determined at a time of switching off the ignition.
25. (Original) The system according to claim 21, wherein the processing unit analyzes the travel pattern data by correlating pairs of start locations and end locations with a range of start times and/or a day of the week.
26. (Original) The system according to claim 25, wherein the processing unit further calculates a frequency of the correlated pairs of start locations and end locations with a range of start times and/or a day of the week.
27. (Currently Amended) The system according to claim 20, wherein the short range communication unit determines traffic information by communicating with a ~~second~~ vehicle along the particular travel path to receive traffic incident information from the ~~second~~ vehicle.
28. (Currently Amended) The system according to claim 20, wherein the short range communication unit determines traffic information by communicating with a ~~second~~ vehicle along the particular travel path to receive speed information from the ~~second~~ vehicle.
29. (Currently Amended) The system according to claim 27, wherein the ~~second~~ vehicle communicates with a ~~third~~ another vehicle along the travel path to receive traffic incident information from the ~~third~~ another vehicle.
30. (Currently Amended) The system according to claim 29, wherein the ~~second~~ vehicle and the ~~third~~ another vehicle only transmit traffic incident information that they have determined to be recent.
31. (Original) The system according to claim 30, wherein the traffic incident information is determined to be recent based in part on the type of the road on which a traffic incident is detected or the number of vehicles involved in the traffic incident.

32. (Currently Amended) The system according to claim ~~[[21]]~~ 20, wherein the short range communication unit comprises a Dedicated Shortwave Radio Communications (DSRC) unit.

33. (Currently Amended) The system according to claim 20, further comprising a display unit in ~~[[the]]~~ a vehicle for displaying the automatically determined traffic information at or before the particular time or when ~~[[the]]~~ an ignition switch is switched on proximate to the particular time.

34. (Original) The system according to claim 20, further comprising a display unit for displaying the automatically determined traffic information at or before the particular time at a user accessible device.

35. (Original) The system according to claim 34, wherein the user accessible device comprises one or more of a home computer, a mobile phone, a PDA, or other handheld device.

36. (Currently Amended) A system for automatically providing traffic information to a user, comprising:

position determining means for tracking travel pattern data of the user, the travel pattern data including a time at which a travel occurs;

storage means for storing the tracked travel pattern data;

means for analyzing the travel pattern data to predict a particular travel path traveled by the user at a particular time when the travel occurs, wherein the means for analyzing is configured to analyze the travel pattern data to determine whether the travel path is traveled at a frequency greater than a threshold value; and

communication means that automatically determines traffic information along the particular travel path at or before the particular time at which the travel is predicted.

37. (Currently Amended) A computer readable medium having program code recorded thereon that, when executed, causes a processor to perform steps comprising:

tracking and storing travel pattern data of a user, the travel pattern data including a time at which a travel occurs;

analyzing the travel pattern data to predict a particular travel path traveled by the user at a particular time when the travel occurs, wherein the travel pattern data is analyzed to determine whether the travel path is traveled at a frequency greater than a threshold value; and

automatically determining traffic information along the particular travel path at or before the particular time at which travel is predicted.

38. (New) A method of automatically providing traffic information to a user, comprising:

tracking and storing travel pattern data of the user, the travel pattern data including a time at which a travel occurs,

analyzing the travel pattern data to predict a particular travel path traveled by the user at a particular time when the travel occurs; and

automatically determining traffic information along the particular travel path at or before the particular time at which travel is predicted;

wherein the tracking and storing step comprises tracking and storing a start time, a day of the week, a start location, and an end location for each travel of the user;

wherein the start time is determined at a time of switching on an ignition, and an end time is determined at a time of switching off the ignition.

39. (New) A system for automatically providing traffic information to a user, comprising:

a position determining system for tracking travel pattern data of the user, the travel pattern data including a time at which a travel occurs;

a storage unit for storing the tracked travel pattern data;

a processing unit that analyzes the travel pattern data to predict a particular travel path traveled by the user at a particular time when the travel occurs; and

a short range communication unit that automatically determines traffic information along the particular travel path at or before the particular time at which the travel is predicted;

wherein the short range communication unit is configured to communicate with a vehicle along the travel path to receive travel information from the vehicle;

wherein the short range communication unit is configured to communicate with the vehicle with short range communication, wherein the short range communication is Dedicated Shortwave Radio Communications (DSRC).

40. (New) The system of claim 39, wherein the system is configured to activate at a predetermined time before the particular time when the travel occurs, wherein the short range communication unit is configured to determine the traffic information along the particular travel path when the system activates.

41. (New) The system of claim 39, wherein the system is configured to analyze and compare the travel path with traffic information and without traffic information.

42. (New) A system for automatically providing traffic information to a user, comprising:  
a position determining system for tracking vehicle travel pattern data of the user, the travel pattern data including a time at which a travel occurs;  
a storage unit for storing the tracked travel pattern data;  
a processing unit that analyzes the travel pattern data to predict a particular vehicle travel path traveled by the user at a particular time when the travel occurs; and  
a short range communication unit in a vehicle that automatically determines traffic information along the particular vehicle travel path at or before the particular time at which the travel is predicted;  
wherein the short range communication unit is configured to communicate with a second vehicle along the travel path to receive travel information from the second vehicle, wherein the travel information from the second vehicle comprises rebroadcasted travel information that originated from a vehicle other than the second vehicle.